

General Index

- 3-carboxy-propyl, 750
- α -2,4-tubulin, 512
- abnormal growth, 458, 490
- abrasion, 290, 293, 294, 451
- abscisic acid (ABA), 424, 511–512
- abscission layer, 107
- absolute humidity, 345
- absorbent papers, 455
- absorption isotherm, 340–342
- absorption method, 301–302
- Access and Benefit-Sharing Agreements (ABSAs), 5, 312, 315, 969, 973
- and Kew, 7
- annexes, 24
- Assignment Clause, 23
- Benefit-Sharing Clause, 17–18
- benefits of, 24
- Definitions Clause, 14–15
- Dispute Resolution Clause, 21–22
- drafting, 11
- Duration Clause, 19
- Entire Agreement Clause, 22
- and ethnobotany, 16
- Exchange Clause, 16
- Force Majeure Clause, 21
- Header Clause, 12–13
- intellectual property rights, 14
- Loan Or Supply Material Clause, 19
- model terms and conditions, 12–26
- Non-Commercialisation Clause, 18–19
- Non-Partnership Clause, 23
- Notice Clause, 20
- Notification Of Transfer Clause, 17
- Objective Clause, 15
- originals, 23
- parties to the agreement, 12
- Preamble, 13–14
- Project Activities Clause, 15–16
- project synopsis, 15–16, 18
- Signing Clause, 23
- Termination Clause, 20
- transfer of obligations, 23
- access
- to genetic resources, 5
- to plants, 34, 94
- to stored germplasm, 977
- see also Access and Benefit-Sharing Agreements; Material Access and Benefit Sharing Agreement; Material Supply Agreements; material transfer agreements; permission and permits
- accessioning, 323
- accessory fruits, 260
- achenes, 261
- acid scarification, 524, 555–561
- active collections and stores, 594, 977
- aeration, 422–423, 455
- aerial photographs, 81
- aesthetic factors in targeting, 48–49
- AFLP technique, 92, 93
- after-ripening, 525, 527, 811
- agar, 316, 318, 455
- ageing of seeds, 113, 145
- Agriculture Western Australia (AgWA), 547
- Agronomic and Veterinary Institute Hassan II (IAV Hassan II), 946
- air-conditioned rooms, 602, 614
- air-drying, 206, 402
- airlocks, 604, 605, 618
- albuminous seeds, 273
- alcohol, 292, 302, 524
- alien species, 321
- alleles, 167, 168, 169, 170, 171, 172
- allometry, 434, 436–438, 439, 441
- alternating temperatures, 578, 584–586
- alternative cold storage, 614–616
- alternative energy sources, 623
- aluminium vials, 497
- ambient cool storage, 614
- ambient relative humidity, 109, 110, 113, 117
- analysis of variance, 557
- ancient seeds, 708–710
- angiosperms, DNA C-Values, 335
- aniline dyes, 468
- annual plants, 120, 184, 188, 277, 567, 571
- Antarctica, for cold storage, 614
- anti-microbial agents, 490
- ArcView GIS system, 33, 213
- arils, 265
- Arrhenius kinetics, 733, 734, 735
- aspirators, 312
- Association of Official Seed Analysts (AOSA), *Rules for testing seeds*, 451, 457, 465
- Australia
- Acacia*, 555–561
- Agriculture Western Australia (AgWA), 547
- Chamelaucium*, 547–551
- dormancy, 809–815
- longevity, 813, 819–821
- seed banks, 816
- seed quality, 816
- seed water content and storage, 817–818

- Threatened Flora Seed Centre, Western Australia, 628–630
 tree fruit maturity, 128, 809–821
 Western Australian Department of Conservation, 548
- Austria, orchids, 94
 automated seed cleaning, 311
 axial embryos, 275
- β -tubulin, 512
 backing off, 641
 bacteria, 180, 490
see also micro-organisms
- bags, 287
 mesh, 187
 plastic and polythene, 351, 421, 422
 porous, 352
- balances, 314
 barium chloride, 313
 basal embryos, 274
 base collections and stores, 594, 977
 bees, 206
 benefit-sharing
 and ABSAs, 17–18
 and CBD, 7
 bentonite, 359
 Berry Botanic Garden, 628–630, 632, 881–895
 bias
 in collecting, 206, 222
 in sampling, 171, 178
Biodiversity Strategy (European Union), 32
 biodiversity, 6
 biogeography
 dormancy, 529–532, 542
 Jordan, 914–916
 bleach, 318, 421
 blowing, 206, 297–298
 boiling, 524
 Bonn Guidelines, 10, 11, 14, 19, 20
 Botanic Gardens Conservation International, 51
Botanic Gardens Conservation Strategy, 860
 botanic gardens, 51, 860, 867, 978
 Berry Botanic Garden, 628–630, 632, 881–895
 Valencia University, 861
see also RBG Kew
- botanical information sources, 30, 32–33
 bradysporous species, 812, 814
 Brahms database, 34
 breeding systems, and diversity, 169
 broken-stick regression model, 788–793
 brushing machines, 294
 buildings for cold storage, 624
 Bureau of Land Management (USA), 893–894
 buried seeds, 708–710
 Burkina Faso
 Centre National de Semences Forestières (CNSF), 153, 245–250
 collecting, 128, 245–250
 National Tree Seed Centre, 245–250
 and neem, 153–160, 764
 popular participation, 247
 seed zones, 246
 burning, 524
- calcium chloride, 359
 calcium oxide, 602
 calcium sulphate, 359, 602
 calorimeters, 765, 768
 Canada, conservation, 32
see also North America
 capacitance sensors, 370, 383
 Cape Floral Region (CFR), South Africa, 565–566
 capsules, 260, 262
 carbohydrate, and seed viability constants, 697
 carpels, 258
 carrot crops, 909
 caryopsis, 262
 case-hardening, 288
 cell membranes, 767
 Center for Plant Conservation, 170, 183, 883, 884
 Centre de Production des Semences Pastorales (CPSP), Morocco, 946
 Centre for Conservation Research and Training (CCRT), Hawai'i, 958
 Centre for Genetic Resources, Netherlands 899–900
 Centre National de Recherche Agronomique (CNRA-IRD), 839
 Centre National de Semences Forestières (CNSF) Burkino Faso, 153, 245–250
 Centro Internacional de Mejoramiento de Maiz y Trigo (CIMMYT), Mexico, 618, 625
 certified producers, 250
 Challenge Cost Share program, 885
 characterisation, xiv
 charcoal, 359–362, 602
 chemical damage, 293, 302
 chemical dormancy, 521
 chemical viability tests, 468, 469
 chemicals for dormancy release, 812
 Chicago Botanic Garden (CBG), prairie species, 33
 Chile, 33
 chilling injury, 156, 402, 422, 442
 chilling sensitivity, neem, 764
 chilling stress, 971

- China, 627
- chipping, 270, 271, 451
- chi-squared test, 764
- chlorophyll fluorescence, 972
- cladistic analysis, 91
- clays, 359
- cleaning of seeds, xiv, 193, 294–302, 283, 305, 310–312, 323, 597
 - automated, 311
 - friction, 299–300
 - mechanical, 297
 - pre-cleaning, 283, 284, 295, 296, 297
- climbing, 249
- clonal propagation, 732
- coarse grid sampling, 74
- cobalt chloride, 643, 649
- coffee depulper, 293
- cold injury, 156
- cold storage
 - conventional, 616–624
 - electricity consumption, 607
 - low technology, 614
 - non-conventional, 614–616
 - at MAICH, 872
 - at Millenium Seed Bank, 314, 616–623
 - mobile, 615
 - see also* refrigeration
- cold stress, 971
- collaboration *see* partnerships
- collecting, 137, 597, 970
 - at Berry Botanic Gardens, 881–890
 - buying, 246
 - data, 206, 330
 - documentary survey, xv
 - labelling, 187
 - limits to, 183–184
 - multiple species, 128
 - pre-examination, 181
 - post-harvest handling, 191
 - prioritisation, 211–216
 - quantities, 172, 181
 - rate of, 183, 196
 - rationale, 165
 - recording, 187
 - South Africa, 237–239
 - storing, 187
 - targeting of taxa, 81
 - techniques, 185–187
 - timing, 100–128, 970
 - voucher specimens, xiv
 - see also* harvesting
- collections
 - data required, 191, 192
 - maintenance, seed numbers for, 182
 - Morocco, 947
 - storage, 191, 193
 - see also* seed banks
- colour
 - of fruits, 112, 114, 115, 159, 179, 971
 - legume pods, 115
 - of *Milletia* pods, 144
 - of seed coats, 115–116, 270
- combinational dormancy, 521, 525, 533, 534
- commercialisation
 - ABSA, 18–19
 - and biodiversity, 972
- complementary areas mapping, 69–70
- complementary longevity models, seed
 - viability equations, 673–682
- computer-aided mapping, 64
- computerisation, 221–230
- CONABIO, Mexico, 32
- condensation in containers, 423
- conditional dormancy, 520, 525
- conifers *see* gymnosperms
- consents, 166, 174, 176
- conservation strategies
 - Ethiopia, 853
 - global, xi, 32, 46, 984–988
 - India, 930–931
- conservation, 166
 - agencies, priorities, 45
 - assessments, 173
 - biology, 42–43, 91
 - economic costs, 49
 - identification priorities, 73
 - Maxted link model, 40, 41
 - project commission example, 54
 - purpose, 45–49
 - of seeds, xiii, xv
 - status, 50–53, 212
 - sustainability, 49
- consistency, seed reserves, 116–117
- conspectus, 71, 72
- Consultative Group on International Agricultural Research (CGIAR), Ethiopia, 850, 852, 978
- containers, 287, 456, 641, 651
- contamination avoidance, 305, 311, 312
- content determination, 340
- continuous wave electron paramagnetic resonance spectroscopy (CW-EPR), 749–750
- contrast agents, 313
- control mortality, 683–684
- control viability model, 683–684
- controlled humidity drying rooms *see* drying rooms
- Convention Concerning the Protection of the World Cultural and Natural Heritage* (WHC), 46

- Convention on Biological Diversity* (CBD), xi, xvii, 5, 31, 46, 174, 942, 952, 969, 984
 Article 8, 9, 16
 Article 9, 31
 Article 15, 5, 6–7, 7–9, 942
 Article 16, 9
 Article 19, 9
 benefit-sharing, 17
 enforcement date, 9
 history, 6
 implementation, 7
 and Indian network, 942
 National Focal Points, 31
 objectives, 6, 7
 and RBG, Kew, 10–11
- Convention on International Trade in Endangered Species* (CITES), 6, 32, 46, 176, 330
- Convention on Nature Protection and Wildlife Preservation in the Western Hemisphere*, 46
- Convention on the Conservation of European Wild Life and Natural Habitats*, 6, 46, 874
- Convention on Wetlands of International Importance*, 46
- Convention to Combat Desertification*, 952
- cooling load, 622
- cooling rates, 977
- Corner's seed classification, 263–264
- cost-benefit analysis, 727–730
- costs, storage, 727–730
- Côte-d'Ivoire, 839
- cotyledons, 396, 419, 490
- counting of seeds, 314
- Crete, 871–876
- critical water content (CWC), 393, 395, 397, 420
- Cromarty equilibrium moisture equation, 348
- crops
 plant maturity, 119
 seeds, 793
 and wild species, 168
see also seed dispersal
- crushing, 311
- cryopreservation, 616, 657, 977
 coffee seeds, 837–844
 neem, 771
Warburgia, 442
- cryovials, 486
- crystallisation, 678
- cubic regression model, 788–793
- cucumbers, 909
- cultural importance of plants, 46
- cut-test, xiv, 180–181, 288, 313, 476
- cyclical dormancy, 811
- cypsela, 261
- cytokinins, 451
see also chemicals for dormancy release
- cytoplasmic glasses, 768
- cytoplasmic viscosity, 405
- D'Arcy-Watt model, 656
- damage to seeds, 268–270, 310, 311, 392
 mechanical, 293, 301, 423, 973
- dark rooms, 313
- data records, xiv
- databases, 34, 221–230, 979
- datalogging, 386, 371 385–386
- date palm, 778–784
- dead seeds, 458, 460
- debris removal, 294–302, 311
- decomposition of fruits, 289
- deep dormancy, 526–528
- dehiscent fruits, 118, 260, 262
 collecting, 187
 seed extraction, 290–291
- dehumidifiers, 608–613
- Denmark, 121
see also Nordic Gene Bank
- density separation, 312
- Department of Interior Bureau of Land Management, USA, 884
- depulping, 153, 285, 293
- desiccants, 359–361
see also charcoal; silica gel
- desiccation control, 289
- desiccation sensitivity, xx, 391–409, 417–425
 coffee seeds, 837–844
 continuity, 395, 397–398
 and drying, 400–401
 models for, 839
- desiccation stress, 425
- desiccation tolerance, 102, 105, 106, 137, 139–143, 310
 foxglove, 100, 101, 103, 108
 and germinability, 100, 101
 intraspecific variation, 397–398
 markers for, 406–407, 408
 neem, 155–156
 protective substances, 404
 Reisdorph and Koster model, 397–398
Warburgia, 442
- desiccation-induced injury, 405
- de-sorption isotherm, 435, 440
- dew point hygrometers, 346, 370, 383–384
- dew point temperature, 344, 346, 370
- dewinging, 283, 294
- differential scanning calorimetry, 765, 768
- Directive on the Conservation of Natural Habitats of Wild Fauna and Flora (Europe)*, 46
- distribution of seeds, xiv, 212
 management of, 332

- rates, 182
- seed numbers for, 182
- DNA analysis, 167
- domesticated plant species, 166
- donation data, 330, 331
- dormancy of seeds
 - and acid scarification, 555–561
 - associated genes, 512
 - Australian plants, 809–815
 - biogeography of, 538–539, 542
 - in *Chamaelucium*, 521, 522, 540, 547–551
 - classes, and vegetation zones, 531
 - classification, 521–529
 - combinational, 521, 525, 533, 534
 - conditional, 520, 525
 - cyclic, 811
 - deep, 526–528
 - and dry heat, 524, 557, 558
 - and dry storage, 524
 - enforced, 519
 - family variation, 536
 - fire simulation, 323, 813
 - and germination testing, 450–451
 - identifying, 473–475
 - intermediate, 526–528, 666, 976
 - and life forms, 538, 539
 - mechanical, 521
 - morphological, 272, 521, 525
 - non-deep, 526–528
 - non-dormancy, 519, 520
 - overcoming, 450–451, 812
 - phylogenetic relationships, 533–537, 540–541
 - physical, 267, 521, 522, 524–525, 533, 534, 810, 811
 - physiological, 521, 526–528, 536, 537, 811
 - primary, 520
 - relative, 520
 - release agents, 812
 - seed-coat imposed, 267–268
 - and seed viability constants, 697–698
 - in tropical grasses, 323
 - types of, 317, 521, 522, 540, 974
 - variation, 528–529
 - and vegetation zones, 529–532
- double fertilisation, 258
- double germination test, 474
- drierite, 359, 602
- drupes, 261
- dry fruits, 112, 127–128, 260
 - colour, 115
 - dehiscent, 262, 284, 285, 290
 - indehiscent, 261–262
 - size, 114
- dry-bulb temperature, 344, 345, 346
- drying rooms
 - conditions, 603–604
 - construction, 605–606
 - cooling load, 610, 612–613
 - equipment, 608–613
 - at Fort Collins, 353
 - health and safety, 613
 - at MAICH, 872
 - moisture load, 611–612
 - and seed viability, 148
 - size, 604–605
 - at Wakehurst, 314, 603–613
- drying seeds, xiv, 145, 303–304, 400, 524, 598, 599
 - in air, 206, 402
 - cost-benefits, 727–730
 - damage, 392
 - local ambient, 599–600, 976
 - nomograms, 358
 - partial, 424
 - rapid, 974
 - rate of, 303, 356, 420
 - in shade, 304, 599
 - slow, 125, 126
 - in sunlight, 145, 146, 147, 285, 291, 304, 600
 - two-stage, 600
 - voucher specimens, xiv
- dry weight, of seeds, 113
- DSC analysis, 837, 838, 839, 843
- duplicate storage, 904, 905
- duplication, seed numbers for, 182
- dust, 288, 311
- Dybvig macerator, 293
- EC Sixth Environment Action Plan*, 32
- ecogeographic distinctiveness, 43
- ecogeographic studies/surveys, 54
 - conspectus, 71, 72
 - data analysis, 63–70
 - data verification, 63
 - databases, 60, 71
 - definition, 55
 - examples, 55
 - model, 55–56
 - production, 71–73
 - project design, 55–60
 - published data, 60
 - reports, 71
- ecological importance of plants, 43
- economic costs, conservation, 49
- education, 322
- effective temperature, seed viability equation, 685–686
- electron paramagnetic resonance spectroscopy (EPR), 749–750

- electronic gazetteers, 81
 electronic Plant Information Centre (ePIC), 335
 Ellis/Roberts improved seed viability model, 341–343
 embryo-less seeds, 458, 459, 461
 embryonic axes *see* embryos
 embryos, 258, 259, 270, 271–273, 320
 excision of, 318
 drying, 425
 in vitro growth, 485–490
 Martin classification, 272, 274–275
 moisture content, 419, 440
 emergency exits, 605, 618, 623
 empty seeds, 179–180, 311, 312, 458, 459
 Endangered Species Act (USA), 884
 endemic species, 173, 212, 237–238, 239
 endemism, 212, 214
 endosperm, 258, 259, 270, 273, 490
 endo- β -mannanase, 511
 energy costs, storage, 727–730
 enforced dormancy, 519
 English Nature (U.K.), 322
 enthalpy, 344, 765
 environment, damage to, 195
 environmental education, 867
 enzyme methods, 469
 EPR spectroscopy, 402, 749, 750
 equilibration time, hygrometers, 371–372, 373–374
 equilibration, moisture reduction, 112
 equilibrium moisture content, 340, 343
 equilibrium moisture equation of Cromarty, 348
 equilibrium relative humidity (eRH), 109–113, 370, 971
 equipment
 cleaning of, 305
 dangers, 288
 for expeditions, 175
 for seed cleaning, 305
 ericoid mycorrhizae, 977
 ethanol, 292, 302, 524
 ethers, 302
 ethical factors in targeting, 48–49
 ethical frameworks *see* Access and Benefit Sharing Agreements
 Ethiopia
 capacity building, 852–853
 Consultative Group on International Agricultural Research (CGIAR), 850, 852, 978
 ex situ conservation, 849–855
 Forage Genetic Resources Centre, 850
 germplasm exchange, 852
 Institute for Biodiversity Conservation and Research (IBCR), 850, 851, 854
 National Tree Seed Project (NTSP), 850
 seed banks, 850–855
 ethylene, 451
 European Cooperative Programme on Genetic Resources (ECP/GR), 51
 European Plant Genetic Resources Information Infra-Structure (EPGRIS), 51, 979
 evaluation, xiv, 978
 evolutionary impact, of seed collecting, 184
 ex planta ripening, 125
 ex situ conservation, 322, 979
 Ethiopia, 849–855
 ex-albuminous seeds, 273
 exchange of germplasm, 852, 940–942, 972
 excised embryo test, 467–468, 469, 476, 527
 Exeter University (UK), 121
 expeditions
 equipment, 175
 itinerary, 194
 Morocco, 947–948, 952
 planning, 81, 85, 174, 194–197
 procedures, 195, 284–286
 and seed maturity, 120
 experimental material, provision of, 323
 expertise
 institutional, 31
 local, 34, 173, 174, 176, 214, 237, 238, 239, 246, 250, 972
 taxonomic, 55, 57
 expired seeds, 459
 exploration model, Marshall and Brown, 39
 extraction of seeds, 283, 284–285, 288–293, 295

 false fruits, 260
 family-based germination test schemes, 316, 318
 family variation, dormancy, 536
 FAO
 Ethiopian workshop, 853
 Survey of Genetic Resources Collections, 987
 World Information and Early Warning System (WIEWS), 986
 FAO/IPGRI Genebank Standards 594, 595
 farm seed banks, 852, 931
 fermentation of fruits, 289
 fern spore bank, Valencia University, 863
 fertilisation, double, 258
 field data, xiv, 330, 970
 field diagnostics, seed longevity, 117
 field gene banks, 851, 904, 931
 field seed banks, 931
 Morocco, 947

- role of, 881–883, 895
- field surveys, 74, 970
- filled seeds, 459
- filter paper, 316
- fire danger in seed processing, 288
- fire simulation for dormancy release, 323, 813
- flailing, 291, 292
- flash drying, 402
- fleshy fruits, 187, 193, 260, 311
 - assessment, 127–128
 - pulp, 288
 - seed extraction, 285, 290, 292–293
- flotation separation, 300, 302
- flowering time, variation, 122, 123–124, 159
- flowers, seed maturity variation, 120
- fluctuating temperature, seed viability
 - equation, 685–686
- fluorescein diacetate (FDA), 469, 495–503
- follicles, 262
- food storage in seeds, 273
- Forage Genetic Resources Centre, 850
- forage grasses, 205
- foxglove, 108
- framework agreement, Valencia, 861
- framework, for seed conservation, 29–35
- France, 123
- free multilayer water, 656
- free radical processing systems, 404
- freezers, 615
- freezing and thawing, for dormancy release, 524
- freezing injury, 156
- fresh seeds, 458, 473, 475
- friction cleaning, 299–300
- fruits
 - anatomy, 255–277
 - and seed size, 434, 436–438, 439, 441
 - colours, 112, 114, 115, 159, 179, 971
 - heterocarpy, 276–277
 - moisture content, 115
 - monitoring, 154
 - size, 112–114, 434
 - softening, 119
 - surface sterilisation, 421
 - see also* dehiscent fruits; dry fruits; fleshy fruits; indehiscent fruits
- fungi
 - control methods, 159, 304, 351, 421, 423
 - and embryos, 490
 - and fruit infection, 419
 - and germination tests, 458, 459, 461
 - longevity of spores, 793
 - and seed loss 180
 - and seed viability equations, 699–700
- funiculus, 257
- Future Harvest, 979
- future of seed banks, 983–991
- fynbos, 565–566, 569, 570
- gap analysis, 53, 69
- gas exchange measurements, 406
- gel phase formation, 767
- Gemeinschaft für Technische Zusammenarbeit, (Germany), 919
- gene pools, 45–46, 47, 48
- General Netherlands Inspection Service for Agricultural Seeds and Seed Potatoes (NAK-AGRO), 899
- genes
 - and dormancy, 512
 - and germination, 511–512
- genetic analyses, 970
- genetic distinctiveness, 42
- genetic diversity, 91, 166, 168–169
- genetic drift, 182
- genetic erosion, 44, 205, 727
- genetic prospecting, 47
- genetic resources
 - access to, 5
 - and CBD, 6–7
 - national rights, 8
- Genetic Sampling Guidelines for Conservation Collections of Endangered Plants*, 887
- genetic sampling, 166–172, 887
- genetic selection during storage, 125
- genetic techniques
 - AFLP, 92
 - polymerase chain reaction, 91
- genetic vouchers, 970
- genetically representative germplasm, 166
- genetics of seed survival, 976
- genomics, 974
- genotypes, and viability constants, 689–690
- geographical information systems (GISs), 81–87
 - ArcView, 33, 213
 - BIOCLIM, 65
 - cost of, 85, 87
 - in Crete, 872
 - DIVA, 67, 69, 70
 - DOMAIN, 65
 - FloraMap, 65, 68
 - GARP, 65
 - and germplasm use, 977
 - lack of standards, 85
 - in Namibia 213, 214
 - in South Africa, 240
 - and targeting, 33, 225
 - using layers, 66
 - and Wakehurst data, 330

- Geographical Information Systems Unit, RBG Kew, 174
- geographical positioning systems *see* global positioning system units
- geographical range, of diversity, 169
see also biogeography
- geophytes, 567, 570, 571, 572
- Georgia, USA, 170
- geospatial data sets, 66
- geosporous species, 812, 813
- germinability, 100, 101, 102, 105, 108, 113
definition of, 448
and desiccation tolerance, 100, 101
of neem, 764, 765–766
and temperature, 577–586
- germination tests, xiv, 154, 207, 321, 334, 549, 974
advantages and disadvantages, 475, 477
at Berry Botanic Gardens 890–892
cacti, 579
definition, 448
double, 474
duration of, 475
initial, 315–316
monitoring of, 315–316
at NAK-AGRO, 899–900
at Nordic Gene Bank, 906–909
in nurseries, 986
orchids, 495–503
paired, 474, 475
re-tests, xiv, 315
reporting categories, 458, 459, 478–479
stimulants, 453
see also viability tests
- germination, 138, 155–156, 271, 323
associated genes, 511–512
of cacti, 829–833
and seed viability equations, 699
- germplasm collecting, 165–166
- germplasm collections
Morocco, 946, 947, 949
numbers of, 593
representative, 166
- germplasm exchange, 852, 972
- Germplasm Resources Information Network (GRIN), 51
- gibberellins, 316, 512
gibberellic acid (GA₃), 318, 451, 527, 549, 551
- Gibraltar, 322
- glass transition temperature, 658, 674–677, 748, 765
- glasshouses, 322
- glassy state, 156, 658, 748, 749
and seed viability constants, 698–699
see also improved viability equation
- Glim 4 software, 146
- Global Biodiversity Information Facility (GBIF), 980
- Global Compendium of Weeds*, 176
- Global Conservation Trust, 990–991
- global positioning system units, 81, 175
- Global Strategy for Plant Conservation*, xi, 32, 46, 984–988
- grading, 295, 296
- grass crops, 907
- gravimetric testing, 369
- Greece, 871–876
- grinding, 311
- ground collecting, 186, 249
- growth forms, 567, 573
- growth regulators, 490
see also gibberellins
- gymnosperms, 169, 541
cones, 284, 288, 291
embryos, 468
seeds, 120, 257–258
- habitats, targeting, 82
- half-viability period (P₅₀), 708, 709, 710
- hand counting, 314
- hand harvesting, 421
- hand sorting, 312, 971
- hardness, of seeds, 116–117, 458
- Harrington's Thumb Rules, 728, 730, 734, 735
- harvesting, 177, 179, 248
methods, 249, 421
see also collecting
- Hawai'i, 957–962
- health and safety
in collecting, 195
in cold rooms, 622–623
in processing, 288, 561, 601, 613
for X-ray equipment, 313
- heat damage, 29
- heat load, in seed banks, 622
- Herauld, France, 123
- herbaceous perennials, 567, 571
- herbaria
for collection targeting, 59, 173
voucher specimens, 187–191, 317, 322
- hesperidium, 261
- heterogeneity
seed collections, 159, 970
target populations, 179
- high-temperature incubation, 524
- horticultural crops, 547–551
- Horticulture Research International, UK, 628–630, 631
- hot spots, 225

- hot-air blowers, 421
 humidistats, 610
 humidity conditioning, 270
 humidity *see* absolute humidity; ambient
 relative humidity; equilibrium relative
 humidity; humidity ratio; relative humidity
 humidity ratio, 345
 hybridisation risk in regeneration, 182
 hydrated storage, 422–425
 hydration window, 837–844
 hydrogen peroxide, 451
 hygolytic sensors, 370, 371
 hygromers *see* hygrometers
 hygrometers
 accuracy, 372–373, 374–378
 digital, 370
 equilibration time, 371–372, 373–374
 maintenance and calibration, 385
 meteorological, 384–385
 sample sizes for, 372–373, 374–378
 sample temperatures, 379–380
 sensors, 370, 371
 types of, 346, 370
 usage, 314
- i-x diagrams *see* psychrometric charts
 Idaho Conservation Data Center, 888, 889
 identity maintenance, 305
 imbibition injury, 270, 558
 imbibitional leakage, 768
 imbibitional stress, 156, 402, 403, 764,
 766–768
 imbibitional temperature, 767
 immature fruits, 125–128, 285, 286
 immature seeds, 351
 impedance sensors, 383
 improved viability equation, 661–663, 788, 793
in situ conservation, 931, 979
 and Berry Botanic Garden, 893–895
 seed storage, 813–815
 see also farm seed banks; field gene banks;
 field seedbanks; micro-reserves; soil
 seed banks
in vitro collections, 422
 incubation, 602–603
 at alternating temperatures, 551
 high temperature, 524
 Incubation-Drying-Separation (IDS) method,
 301, 302
 indehiscent fruits, 260, 261–262, 290, 292
 indented cylinder cleaning, 296, 298
 India, 929–942
 indian gooseberry, 778–784
 indigenous knowledge, 176, 972
 indigenous species, 173
 indigo carmine, 468
 individual variation, 120, 123–124
 inflorescences, 120, 122–123, 179
 information sources, for collection planning,
 51–52, 173
 initial germination tests, 315–316
 initial viability tests, 315–316
 insects
 control methods, 304, 310, 317, 613, 614
 infested seeds, 311, 312
 seed and fruit damage, 180, 186, 289, 458,
 459, 461
 Institute for Biodiversity Conservation and
 Research (IBCR), Ethiopia, 850, 851, 854
 Institute of Crop Germplasm Resources, 627
 Institute of Grassland and Environmental
 Research (IGER), UK, 205
 intact fruits, 421
 intellectual property rights, Access and
 Benefit Sharing Agreements, 14
 intermediate dormancy, 666, 976
 intermediate seeds, 392, 526–528
 database of, 418
 definition of, 417
 storage, xx, 656–657
 Type II, 666
 International Centre for Advanced
 Mediterranean Agronomic Studies
 (CIHEAM), 952
 International Center for Agricultural
 Research in Dry Areas (ICARDA), 627, 852,
 919, 947, 952
 International Crop Research Institute for the
 Semi-Arid Tropics (ICRISAT), 852, 978
International Directory of Botanic Gardens, 51
 International Plant Genetic Resources
 Institute (IPGRI), 627
 and DIVA-GIS, 67
 handbooks, xiii, xv
 as information source, 51
 Jordan partnership, 919
 Morocco partnership, 947, 952
 storage guidelines, 817
International Plant Names Index, 335
 International Plant Protection Convention
 (IPPC), 46, 176
 International Potato Centre, 67
 International Seed Testing Association
 (ISTA), 107, 320, 340, 900
International Rules for Seed Testing, 451, 457,
 458, 460, 463, 465, 470
 staining patterns, 466
 International Treaty on Plant Genetic
 Resources for Food and Agriculture
 (ITPGRFA), 46, 973, 988–989

- International Tropical Timber Agreement (ITTA), 46
- International Workshop, Wakehurst, xi
- Internordic Plant Breeding (SNP), 903–909
- interpretation, 324
- intracellular viscosity, 747, 749
- intraspecific variation, desiccation tolerance 397–398
- invasive species, 176–177, 225, 972
- isoenzyme analysis, 167, 169
- Isoflor maps, 68, 70
- isotherms, 670
- Israel, 528
- Italy, 205
- IUCN *see* Red Data Lists
- jackfruit, 778–784
- jamun, 778–784
- Japan, 623
- Jordan, 913–924
- Kenya
- Forestry Research Institute, 421
 - Forestry Seed Centre, 633
 - Milletia*, 135–148
 - National Museums (NMK), 137
 - phenological data, 34
 - Saintpaulia*, 44
 - and viability loss, 344
 - Warburgia*, 434
- keystone species, 43
- K_i *see* improved viability equation
- kilns, 291
- kusum, 778–784
- kwongan, 570
- Kyoto Protocol, 32
- labels, 641
- labour costs, 295
- labour requirement, 290
- labyrinth seeds, 272
- Lake Mweru Wantipa, use of GIS, 82, 84
- Landsat ETM map, 228
- lateral phase separation, 767
- LEA proteins, 404
- leaching, 812
- leakage assays, 402
- legal frameworks *see* Access and Benefit Sharing Agreements
- legislation, 45, 46
- legumes, 262
- permafrost storage, 908
- lettuce, 349
- lid construction, 641
- life forms, 169, 538, 539
- life-history theory, 434, 569, 570
- lighting
- as dormancy release, 812
 - in germination tests, 454
- likelihood ratio tests, 567
- lipids, 838, 843
- and seed viability constants, 694–696
- lithium chloride, 359, 602, 603, 608
- local ambient drying, 599–600, 976
- local collectors, 246
- local experts *see* expertise, local
- locules, 258
- logistic regression analysis procedure, 567
- lomentum, 262
- long-term storage, 485–490, 594
- longevity *see* seed longevity
- loosely-bound water, 656
- low technology storage, 614
- Lowveld Botanical Garden, 239
- maceration, 290, 293
- Madagascar, 34, 82, 83, 85, 86
- mahuwa, 778–784
- maize, viability loss, 344
- Malaysia, 47
- mangosteen, 778–784
- manual cleaning, 295
- manual extraction, 293
- manual scarification, 555, 557, 558
- mapping, 33–34
- complementary areas, 68–69
 - computer-aided, 64
 - predictive, 82, 85
 - species diversity, 67–68
 - under-conserved areas, 69–70
 - see also* geographical information systems
- Marshall and Brown, exploration model, 39
- Martin, seed classification, 272, 274–275
- mass maturity, 102, 107, 108, 690, 692, 972
- see also* seed maturity
- mass sequencing, 408
- masting, 184
- Material Access and Benefit Sharing Agreement, South Africa, 236
- Material Supply Agreements (MSAs), 321, 330
- material transfer agreements, 972
- maturity *see* mass maturity; seed maturity
- maturity indices, 179
- Maxted, conservation link model, 40, 41
- mean time to death (MTD), 102, 103, 104
- mean viability period, 659
- mechanical abrasion, 294
- mechanical damage, 293, 301, 423, 973
- mechanical dormancy, 521
- mechanical equipment, dangers, 288

- mechanical layer, 263
mechanical scarification, 524, 555
mechanical seed cleaners, 297
mechanised banking/retrieval systems, 623
media for seeds, 455
Mediterranean Agronomic Institute of Chania (MAICH), 871–876
medium-term storage, 422–424, 594
melting temperature (T_m), 748
membrane permeability assays, 402, 403, 405
mericarps, 262
mesh bag collecting, 187
meshes, 296, 297, 311
metabolomics, 408, 974
meteorological data, 343, 362
meteorological hygrometers, 384–385
Mexico
 and cacti, 577–586, 827–833
 Centro Internacional de Mejoramiento de Maiz y Trigo (CIMMYT), 618, 625
 Landsat ETM map, 228
 National Commission for the Knowledge and Use of Biodiversity (CONABIO), 32
 targeting, 221–230
 see also North America
microfiche readers, 313
micro-organisms, 180, 316, 351, 490, 523
micro-reserves, 861–862
Millennium Seed Bank Project (MSBP), xi, 5, 627
 and Namibia, 211–216
 and South Africa, 235–240
 other partnerships, 235
 see also Millennium Seed Bank, Wakehurst;
 RBG Kew
Millennium Seed Bank, Wakehurst
 building, 625
 cold store, 616–618
 collection size, 641
 construction, 605–606, 618–622
 containers 639–651
 hygrometer use, 383
 layout, 619
 personnel safety, 622–623
 processing methods, 309–324
 sample sizes, 171
 Seed Bank Database, 329–335
 Seed Conservation Coordinators, 13
 Seed Morphologist, 277
 storage standards, 356
 temperature, 616
 see also Millennium Seed Bank Project;
 RBG Kew
mixing ratio, 345
mobile cold stores, 615
moist storage, 286
moisture limits, and seed viability equation, 672–673
moisture status *see* seed moisture
molecular biology, 91–94, 509–513
molecular maturity markers, 972
molecular mobility, 678–679, 682, 734
 and ageing, 751–758
 measuring, 749–751
molecular sieves, 359, 603, 608
Mollier diagrams *see* psychrometric charts
monitoring seeds, experimental, 106–112
monographs, 173
Morocco, 945–952
morphological changes, 138, 140, 971
morphological dormancy, 272, 521, 525
morphometrics, 91
morphophysiological dormancy *see*
 morphological dormancy
mRNA expression profiling analysis, 408
mucilage, 311
Muguga, Kenya, 434
multilayer water, 657
multiplication of seeds, 322
multivariate analysis, 70
muskmelons, 341
mycorrhizae, 977
Namibia, 33, 211–216, 628–630
Natal, University, 434
National Active Germplasm Sites, India, 938
National Agronomic Research Institute (INRA), India, 946
National Botanical Institute, South Africa, 236
National Bureau of Plant Genetic Resources (NBPGR), India, 929, 932
 regional stations, 933, 937
National Center for Agricultural Research and Technology Transfer (NCARTT), Jordan, 918–924
National Commission for the Knowledge and Use of Biodiversity (CONABIO), Mexico, 32
National Herbarium of Namibia, 212
National Herbarium, Pretoria, South Africa, 238
National Institute of Agrobiological Resources (NIAR), Japan, 623
National Museums of Kenya (NMK), 137
National Plant Genetic Resources Centre (NPGRC) of Namibia, 628–630
National Seed Genebank, India, 933, 934–937
National Seed Storage Laboratory, Fort Collins, USA, 107, 353, 356, 625, 627
National Tree Seed Centre, Burkina Faso, 245–250

- National Tree Seed Project (NTSP),
Ethiopia, 850
- National Tropical Botanic Garden, Hawai'i,
USA, 958
- Nature Conservancy, The, 884, 887
- near endemics, 212, 214
- neem, 153–160
- Netherlands, Centre for Genetic Resources,
899–900
- network for conservation, India, 932–933
- New England Wildflower Society Garden,
USA, 883
- New Mexico, USA, 121
- Niger, 109
- nitrogen, liquid, 485–490
- nitrous oxide, 424, 451
- nomographs, 659, 661
- non-deep dormancy, 526–528
- non-destructive measurement of seed
moisture, 369–387
- non-domesticated plants, 165–197
- non-dormancy, 519, 520
- non-orthodox seeds, 837–844
- non-reducing sugars, 404
- Nordic Gene Bank, 627, 903–909
- normal distribution of seed survival, 683
- normal seedlings, 458
- North Africa, 122
- North America, 94, 529
North American Commission for
Environmental Co-operation, 32
see also Canada; Mexico; USA
- Northern Cape, South Africa, 238–239
- Norway, Statens Frøkontroll, 905
- nuclear microsatellites, 92
- nutrient applications, 812
- nuts, 261
- Nylsvley Nature Reserve, South Africa, 128
- oceanic islands, colonisation, 957–962
- oily seeds, 667
and viability, 696, 705–706
and water content, 399, 837–844
- orchids
Austria, 94
mycorrhizae, 977
seeds, 495–506, 793
- order management *see* distribution of seeds
- Oregon Department of Agriculture, USA, 894
- Oregon Heritage Program, USA, 888
- Organisation for Economic Co-operation and
Development, 250
- orthodox seeds, xx, 154, 159, 173, 391
field handling, 285–286
limited desiccation ability, 656–657
and moisture, 284, 656–657
neem
oceanic islands, 957–962
- oscillating table separators, 298–299
- osmotic adjustments, 407
- out-breeding, 168
- ovaries, 258
- overheating of seeds, 291
- ovules, 120, 124
- oxidative stress, 406
- oxygen, 424
- packaging
voucher specimens, xiv
at Wakehurst, 314
- paired germination test, 474, 475
- Palm Oil Research Institute of Malaysia
(PORIM), 47
- parsimony analysis, 33
- partial drying, 424
- partnerships
Berry Botanic Garden, 884–895, 884
India, 919
Morocco, 948, 95
Millenium Seed Bank Project, 235
South Africa, 235
see also Access and Benefit Sharing
Agreements
- passport data, 60, 62, 969
- Pearson's chi-squared statistic, 321
- peat, 423
- pentane, 302
- pepo, 261
- perennials, 120, 168, 172
- peripheral embryos, 274
- perisperm, 270, 273
- permafrost storage, 614, 903–909
- permission and permits, xiv, 34, 174, 176, 969
see also access
- personnel safety, cold store, 622–623
- petri-dishes, 455
- phase diagrams, 765, 769, 770, 769
- phase transition temperature (T_m), 767
- phenology, 34
- photographs, 81, 187
- phylogenetic relationships, dormancy,
533–537, 540–541
- physical dormancy, 267, 521, 522, 524–525,
533, 534, 810, 811
- physically-damaged seed categories, 459
- physiological dormancy, 521, 526–528, 536,
537, 811
- phytosanitary agreements and permits, 176
- placentae, 258
- planning *see* expedition planning

- Plant Genetic Resources Programme (SADC), 211
- plant identification, 34, 239
- plant irrigation, and seed viability constants, 691
- PlantGene CD, 51
- plasma membranes, 402, 768
- plastic bags, 421
- plastid genomes, 92
- plastid microsatellites, 92, 93
- plucking of fruits, 185
- pneumatic table separators, 298–299
- Pods
 characteristics, 139
 colour, 144
 eRH, 111
 opening, 111
- poisonous fruit pulp, 288
- polishing, 290
- political priorities, 30, 31–32
- pollen
 collections, 732
 state diagrams, 748, 749
 and seed viability equations, 699–700
- pollination, 206
- polyethylene glycol, 423
- polymerase chain reaction (PCR), 91, 509–511
- polythene bags, 351, 422
- pomes, 261
- population effect, 393–395, 403
- populations
 heterogeneity, 179
 sampling, 170–172, 970
 targeting, 969
 variation, 120, 121, 188
- porous bags, 352
- Portugal, grasslands, 205
- post abscission ripening, 127
- post-harvest handling, 349–353, 354
- post-harvest ripening, 286, 289
- potassium acetate, 602
- potassium cyanide, 451
- potassium ferricyanide, 749, 750
- potassium nitrate, 318, 319, 451
- pouches, 207
- powdered milk, as desiccant, 602
- pre-cleaning, 283, 284, 295, 296, 297
- pre-collection checklist, 177–178, 181
- pre-curing, 283, 286, 291
- pre-drying, 291
- pre-sterilisation, 496, 501
- pre-treatment of seeds, 682
- predictive distribution, 65
- predictive mapping, 82, 85
- Pressure-Vacuum (PREVAC) seed separation, 301
- Pretoria Computerized Information System database (PRECIS), 237
- primary dormancy, 520
- primary gene pools, 47
- Principles on Access to Genetic Resources and Benefit-Sharing*, Kew, 10, 25–26
- Prior Informed Consent (PIC), 969
- prioritising taxa, 31–33, 45, 166, 173, 211–216
- Pritchard classification system, 656–657
- probe hybridisation, 167
- probit analysis, 146, 147, 395, 660, 683–685
- process airflow, 609
- processing data, 330–331, 332, 333
- processing seeds *see* seed processing
- project framework, 29–35
- project synopsis, 15–16, 18, 24
- propagation
 at Berry Botanic Garden, 893
 clonal, 732
 Namibia, 212
 Pretoria, 238
 at Wakehurst, 322
- proportions test, 321
- Protected areas of the world: a review of national systems*, 51
- proteomics, 408, 512
- pruning fruit clusters, 186
- psychrometric charts, 344–348, 610, 623
- psychrometric cooling, 357
- purity of seeds, 294, 295, 296, 312
 analysis, 816
see also seed quality
- pyxidium, 262
- quadratic regression model, 788–793
- quarantine, 310, 330, 613
- quarter-degree squares, 212, 213, 215, 216
- quicklime, 602
- quiescence, 519
- raffinose, 139, 142, 143, 144
- rain forest species, 419
- raking seeds, 291
- Ramsar Convention, 46
- Random Amplified Polymorphic DNA (RAPD) method, 92, 866
- random samples, 171
- rapid drying, 974
- RBG Kew, xi, 5
 Access and Benefit-Sharing Agreements, 7
 assessing genetic diversity, 92–94
 and Convention on Biological Diversity, 10–11

- electronic Plant Information Centre (ePIC), 335
 Geographical Information System (GIS) Unit, 174
 and intellectual property rights, 18
 Kew Seed Bank, 309
Material Supply Agreement, 24
Plant Micromorphology Bibliographic Database, 277
Principles on Access to Genetic Resources and Benefit-Sharing, 10, 25–26
 Seed Conservation Department (SCD), 5
Survey of Economic Plants for Arid and Semi-Arid Lands (SEPASAL), 173
see also Millennium Seed Bank, Wakehurst; Millennium Seed Bank Project
- re-moistening, 289
 reactivation airflow, 609
 recalcitrant seeds, 656–657, 976
 cold-storage, 424
 database of, 418
 definition of, xx, 391, 417
 field handling, 285, 286
 medium-term storage, 422–424
 neem, 154
 on oceanic islands, 957–962
 seasonal differences, 419
 short-term storage, 422–424
 viability, 422–425
- Red Data Lists
2000 IUCN Red List of Threatened Species, 43
 Categories, 43–44
 information in, 972
 for planning, 32
Red Data Book of Rare and Threatened Plants of Greece, 872, 874
Red Data List for South Africa, 237, 239
 Red Data Listing project, Namibia, 212
- refrigeration, 615, 620–622
 dehumidifiers 603, 608–609
 see also cold storage
- regeneration, xiv, 182, 322, 731–732, 985
 backlog, 987
 criteria, USDA NPGS, 731
 in Morocco, 949
 Regeneration Standard, MSB collections 316
 voucher specimens, xiv
- regional distribution, and genetic diversity, 169
 regression analysis, 567
 regulatory molecules, 408–409
 rehydration, and seed viability constants, 698
 reintroduction
 at Berry Botanic Garden, 893–894
 projects, 29, 972
 role of GIS, 82, 85
- Reisdorph and Koster, desiccation tolerance model, 397–398
 relative dormancy, 520
 relative humidity, 109, 303, 345, 370, 658
 definition, 344
 meters, 112
 in-storage indicators, 649
 see also hygrometers
- remit, institutional, 30, 31
 remote sensing, 225
 repatriation of seed, 315
 reproduction, mode of, 169
 research results, sharing, 321
 research species, 173
 resistive sensors, 370
 respiratory, eye and skin irritations, 288
 restoration, 986
 resurrection plants, 406
 rhizomes, 172
 Rice Research Institute (IRRI), 852
 ripeness *see* mass maturity; seed maturity
 ripening, post-harvest, 286
 rodents, 614
 rooms, as cold stores, 614
 rotational correlation time (τ_R), 749
 rubber, 778–784
 rubbing, 293
Rules for testing seeds, 451, 457, 465
 rumination, 272–273
- safety *see* health and safety
 samaras, 262
 Samaria National Park, Greece, 874
 sampling
 of populations, 138, 170–172, 178, 970
 in seed testing, 451
- sand, 423
 sandalwood, 778–784
 sarcotestas, 265
 satellite imagery, 81
 saturated vapour pressure (Pvs), 345
 saturation transfer electron paramagnetic resonance spectroscopy (ST-EPR), 749–750
 sawdust, 423
 scarification, 319, 451, 522, 524, 527, 555–561, 812, 975
 schizocarps, 262
 scintillation counters, 313
 Scottish Agricultural Science Agency, 315
 screens, 296, 297, 311
 sealed containers, 352, 355, 641, 646, 647–648
 secondary dormancy, 520
 secondary gene pools, 47

- security duplication, xiv, 315
- seed ageing
and *Milletia*, 145
and molecular mobility, 751–758
and moisture, 113, 667–671
and temperature, 663–665, 751–758
- seed anatomy, 255–277
and critical water content, 398–400
- seed and embryonic axis moisture content, 440
- Seed and Plant Genetic Resources Service of the FAO, 627
- Seed Bank Database (SBD), 314, 317, 321, 329–335
Data Analysis and Reporting Tool (DART), 333
- seed banks
ancillary equipment, 625–626
basic principles, xviii
Berry Botanic Garden, 883–895
case studies, 627–632
Chania, 628–639
costs, 626, 627
design documents, 595
design planning, 596–598
design, 593–633
in Ethiopia, 850–855
generalised procedure, xiv
and *in situ* conservation, 29
in Jordan, 920–921
location of, 624
Nordic Gene Bank, 903–909
numbers of, 593
and reintroduction projects, 29
security, 625
sustainable use, 29
Valencia University, 862–862
- seed chemical composition, and seed viability constants, 692–697
- seed cleaning *see* cleaning of seeds
- seed coats, 259, 262
anatomy, 266–268
colour, 115–116, 270
function, 263–268
- seed collecting *see* collecting
- seed collections *see* collections
- seed colour *see* colour
- seed counting, 314
- seed damage *see* damage to seeds
- seed deterioration, 349–351, 731–732
- seed development, 100, 106–112, 113, 137–141, 153–160
annual variation, 124
environmental factors, 690–692
foxglove, 100, 101, 103, 104
neem, 764, 765–766
and viability constants, 690–692
- seed dispersal, 117–119, 139, 169
- seed dormancy *see* dormancy of seeds
- seed hardness, 116–117, 458
- seed heteromorphism, 276–277
- seed heterospermy, 276–277
- Seed Information Database, Kew, 310, 335–336, 687
- seed limitation, 184
- seed longevity, 101, 118, 166, 266, 747–758
and cacti, 827–833
and desiccation tolerance, 101
field diagnostics, 117
and glass transition, 674–677
limits, 733–741, 787–793
and mass maturity, 108,
and mean time to death, 102, 103
Milletia, 137, 144,
and moisture content, 341–343, 787–793
neem, 154, 156–160, 763–771
and relative humidity 125, 126, 349
and seed viability equations, 655–711
and storage, Australian species, 813, 819–821
- seed mass and seed viability constants, 692, 693
- seed maturity
field assessment, 127–128
gymnosperms, 120
perennials, 120
and seed viability constants, 691–692
variation, 120–128
- seed moisture, 303, 971
at collection time, 284
definition of, xiv, 345
field measurement, 381–382, 971
measurement, 112, 154, 314, 340, 667, 765
models for, 682, 703
non-destructive measurement, 369–387
and relative humidity, 340, 342
and seed longevity, 787–793)
and seed viability equation, 659
testing, summary guidelines, 380
- seed processing, xvi, 973–975
at Berry Botanic Gardens, 890
cacti, 828–829
at CGN, 899–900
coffee, 839
data from, 330–331, 332, 333
Hawai'i, 957–958
India, 931–932, 939
Nothofagus, 788
throughput times, 323
tropical species, 778–779
types of, 323

- seed quality, 971
 Australian species, 816
 determination of, xiv
- seed rehydration, 500
- seed requests, 207
- seed reserves, 116–117
- seed shipments *see* shipping
- seed storage
 and dormancy, 524
 buildings for, 624
 characteristics, xiv
 cold, 424
 container types, 642
 costs, 727–730
 duplicate, 904, 905
 energy costs, 727–730
 environment coefficient, 673–674
 genetic selection during, 125
 guidelines, 598, 817
 hydrated, 422–425
 intermediate seeds, xx, 656–657
 long-term, 485–490, 594
 low-technology, 614
 medium-term, 422–424, 594
 moist, 286
 moisture content, 271
 in permafrost, 908
 Pritchard classification, 656–657
 relative humidity indicators, 649
 and seed water content, 817–818
 short-term, 286, 287, 422–424
 trials, 154
 tropical species, 778–784
 ultra-dry, 667, 701–703
 ultra-low temperature, 682
- seed structure, 255–277
- seed survival curve, 659
- seed testing, xvi, 451, 973–975
 see also germination tests; viability tests
- seed trays, 456
- seed treatment, and seed viability constants,
 692, 698–699
- seed uses, 166, 321, 322, 598
- seed viability equations, 657–711, 975
 basic, 659–661
 history of, 658
 improved, 661–663
 and *Milletia*, 146
 moisture and seed ageing, 667–671
 and moisture limits, 672–673
 molecular mobility and ageing, 752–758
 temperature and seed ageing, 663–665
 temperature-moisture interaction, 686
 viability constants, 686–700
 see also seed viability; viability tests
- seed viability, 101, 102, 103
 definition of, 448, 449
 loss prediction, 343–344
 at Millennium Seed Bank, 316, 321
 see also seed viability equations; viability tests
- seed moisture content, 107, 110, 817–818
- seeding periods, 81
- selecting taxa *see* targeted taxa
- self-fertilization, 168
- semi-recalcitrant seeds, 392
- serotinous fruits, 118–119, 814, 815
 processing, 285, 290, 291
- shade drying, 145, 146, 147, 421
- shaking, 186–187, 290, 291
- sheets, 249
- shipping, xiv, 197, 310, 386, 422, 971
- short-term storage, recalcitrant seeds,
 422–424
- shrivelled seeds, 459
- sieving, 206, 296, 311, 312
- silica gel, 154, 207, 315, 352, 359, 832
 amount needed, 362, 600–601, 603, 608
 and cobalt chloride, 643, 649
 isotherm for, 360
 as leakage indicator, 650
 safety precautions, 601
- silique, 262
- simple random sampling, 178
- slow drying, 125, 126
- smoke, 549, 551, 565–573, 812
- soaking, 290
- soapnut, 778
- socio-economic uses of plants, 45
- sodium hypochlorite, 421, 423, 451
- sodium nitrite, 451
- soil seed banks, 813, 979
- soils, and species distribution, 34
- sorption dehumidifiers, 603, 608–609
- sorting seeds, 296, 312, 971
- South Africa, 128, 235–240, 322, 434, 565–573
- Southern African Development Community
 (SADC), 211
- Southern African Development Co-operation,
 594
- Spain, 121, 859–867
- species constants, viability equation, 686–687
- species distributions, modelling, 225
- species diversity, area mapping, 67–68
- Species Recovery Programme (English
 Nature), 322
- species targeting, 969
- specific gravity, 299, 300
 separators, 298–299
- specific volume, 344, 346
- specimen databases, 221–230

- spin probe molecules, 749–750
 Spjut fruit classification, 260
 squashing, 311
 standards
 drying conditions, 356, 358
 FAO/IPGRI Genebank Standards 594, 595
 Indian genebanks, 931–932, 934–935
 Millennium Seed Bank, 316, 356
 regeneration, 316
 state diagrams, 749, 765, 769, 770
 Statens Frøkontroll, Norway, 905
 sterilisation
 containers, 423
 fruits, 421
 seeds, 423, 496, 497, 501
 stirring, 293
 stolons, 172, 206
 stone fruit crops, 119
 storability index, 673–674
 Strategic Plan for Conservation Biology, 32
 stratification, 318, 527
 stratified random sampling, 171, 178
 stripping seed-heads, 185
 suborthodox seeds, 392, 485, 487, 490,
 656–657
 substrates, 455
 successional species, 184
 successional status, 169
 sugars *see* non-reducing sugars
 sun drying, 145, 146, 147, 285, 291, 600
*Survey of Economic Plants for Arid and Semi-Arid
 Lands* (SEPASAL), 173
 survival curves, 660, 683
 sustainability of conservation, 49
 sustainable use, seed banking, 29
 symbionts, 977
 synchronicity, 124
 Syria, 68, 627
 systematic sampling, 171, 178
 System-wide Information Network for Genetic
 Resources (SINGER), 51
 t-test, 498
 tannins, 264, 270
 targeted taxa, 40–53, 216, 597
 area of growth, 57
 definition, 40, 40–53
 genetic diversity, 91–94
 genetic techniques, 91–94
 historical plant collections of, 59
 identification of, 53–54, 57
 phenology, 216
 species, 82
 taxonomy, 57
 targeting habitats, 82
 targeting, 173–177, 211–216
 criteria, 248
 use of specimen databases, 225–230
 taxonomic distinctiveness, 42
 taxonomic expertise, 55, 57
 taxonomic information and literature, 58, 173
 taxonomic status, and genetic diversity, 169
 Technical Centre for Agricultural and Rural
 Cooperation ACP-EU (CTA), 853
 technical planning *see* planning
 tegmen, 259, 263, 264
 temperature and seed ageing, viability
 equation, 663–665
 of cold store, 616
 in germination tests, 454
 and seed drying rate, 357–358
 seed germination, 577–586
 in seed viability equations, 659, 691
 shifts, and dormancy breaking, 524
 temporary storage, 286, 287
 Tennessee, 538
 terminology, xx
 tertiary gene pool, 47
 testa, 259, 263, 264
 tetrazolium test, 318, 319, 320–321, 463–466,
 476
 Texas, 538
 thawing, 524
 thermal scarification, 975
 thermic pulses, 812
 thermodynamics of water, 681–682, 838
 Threatened Flora Seed Centre, Western
 Australian, 628–630
 threats *in situ*, 43–44
 threshing, 206, 290, 292
 threshold water content (TWC), 393, 395
 throughput times, 323
 tillers, 206
 tomatoes, 114, 511–512
 trade in endangered species, 6
 traditional knowledge, 176, 176
 transcriptomics, 408
 transport of seeds *see* shipping
 Tras-os-Montes e Alto Douro, Universidade
 de, 205
 trays, 456
 tree seed collecting, 185
 triphenyl tetrazolium chloride, 974
 tropical islands *see* oceanic islands
 tropical species, 764, 778–784
 tubulin, 512
 Tukey-Kramer test, 557, 560
 tumbling, 290, 291
 Turkey 64, 65, 64, 92
 two-staged drying, 600

- Type I seeds, 656
 Type II seeds, 656–657, 666
 Type III seeds, 657
- UK
 English Nature, 322
 Exeter University, 121
 Horticulture Research International, 628–630, 631
 Institute of Grassland and Environmental Research (IGER), 205
 Plant Health control, 310
 Scottish Agricultural Science Agency, 315
 seed eH survey, 109
 Wytham Woods, 122
see also RBG Kew, Wakehurst
- UK Plant Health control, 310
 ultra-dry storage, 667, 701–703
 ultra-drying, 736, 799–804
see also improved viability equation
 ultra-low temperature storage, 682
 ultra-wet storage, 703–704
 under-conserved areas, mapping, 69–70
 underdeveloped seeds, 459
 unfrozen water content, WC_u , 839
 ungerminated seed, 458
 United Nations Development Programme (UNDP), 952
 United Nations Environment Programme (UNEP), 853
 United Nations Framework Convention on Climate Change, 32
United Nations List of National Parks and Protected Areas, 51
 Universidade de Tras-os-Montes e Alto Douro, 205
 University of Natal, 434
 University of Science and Technology, Jordan, 919
 unpacking collections, xiv, 310
- USA
 Bureau of Land Management, 884
 Center for Plant Conservation, 170, 183, 883, 884
 Centre for Conservation Research and Training, 958
 Challenge Cost Share Program, 885
 Chicago Botanic Garden, 33
 Endangered Species Act, 884
 Fish and Wildlife Service, 884
 Forest Service (USFS), 894
 Georgia, 170
 Hawai'i, 957–962
 Idaho Conservation Data Center, 888, 889
 National Plant Germplasm System, 726–741
 National Seed Storage Laboratory, 107, 353, 356, 618, 625, 627
 National Tropical Botanic Garden, 958
 New England Wildflower Society Garden, USA, 883
 New Mexico, 121
 Oregon Department of Agriculture, 894
 Oregon Heritage Program, 888
 Tennessee, 538
 Virginia 538
see also North America
 usage of plants, 45, 212, 214
 usage of seeds, 166, 321, 322, 598
 utricles, 262
- Valencian Community, 859–867
 vegetable crops, 909
 vegetation maps, paucity of, 87
 vegetation zones, and dormancy, 529–532
 vegetative collecting, 205, 206
 Madagascar, 85, 86
 vegetative reproduction, 172
 Veloren Valle Nature Reserve, 237–238
 Venda, 239
 ventilation, 287, 351, 356
 viability tests, 447–479, 598
 advantages and disadvantages, 475, 477
 choice of, 450–451
 definition, 448
 for orchids, 495–503
 reporting categories, 478–479
 types of, 452
see also germination tests; seed viability equations; viability tests
- viruses, 180
 viscosity, 679, 975
 volatile gas emission, 975
 voucher specimens, xiv, 187–191, 197, 317, 322
- Wakehurst
 International Workshop, xi
 public displays, 323
see also Millennium Seed Bank, Wakehurst; Millennium Seed Bank Project; RBG Kew
 washing, 290, 451
 wastage, 310
 waste disposal, 312
 water, thermodynamics of, 681–682, 838
 water activity, (a_w), 370, 393, 681, 682, 839, 844
 water binding, 340–341, 351
 water damage, 293
 water flotation, 181
 water potential (MPa), 370, 667, 670, 681
 water sorption isotherm, 681

- water stress, 422
- water vapour pressure (Pv), 345
- weakly bound water, 656
- websites, 627
- weeds, 49, 176, 195, 321
- weighed replicate test, 456
- Western Australia, 547–551, 555–561
- wet heat, 557, 558
- wet-bulb temperature, 344, 346
- wetting, 524
- wheat, 403
- Wheaton vials, 641, 644
- whirling hygrometer, 346
- wild species, differences from crop species, 168
- Williams-Landel-Ferry equation, 677
- winnowing, 181, 297–298
- woody perennials, 567, 571
- World Information and Early Warning System on Plant Genetic Resources (WIEWS), 51
- WORLDMAP software, 68, 69
- Wytham Woods, UK, 122
- X-rays
 - contrast technique, 462
 - data from, 330
 - machines, 313
 - and seed damage, 179, 181,
 - tests, xiv, 312–313, 323, 461–463, 464, 476
- Zambia, use of GIS, 82, 84
- zones of water sorption, 656